




passive speakers


No.3.2 MKII



Description


- Design 3-way bass reflex system
- Tweeter 1 x 0.32" Plasma tweeter
- Low-midrange driver 1 x 8" Paper, coated
- Woofer 1 x 8.7" Polyester, coated
- Crossover frequency 80 Hz / 2.5 kHz
- Impedance(nominal) 8 Ω (Minimum 5.6 Ω)
- Efficiency 91 dB / 1 W / 1 m
- Frequency range 30 Hz - 150 kHz (±3 dB)
- Weight 53 kg (116 lbs)

Finish



- Piano finish black
- Piano finish veneer
- Piano finish white


No.5.2



Description


- Design 3-way bass reflex system
- Tweeter 1 x 0.32" Plasma tweeter
- Midrange driver 1 x 6.5" Paper, coated
- Woofer 1 x 11.0" Aluminum
- Crossover frequency 250 Hz / 2.5 kHz
- Impedance(nominal) 8 Ω (Minimum 5.2 Ω)
- Efficiency 90 dB / 1 W / 1 m
- Frequency range 25 Hz - 150 kHz (±3 dB)
- Weight 82 kg (181 lbs)

Finish



- Piano finish black
- Piano finish veneer
- Piano finish white


No.7.2



Description

- Design 3-way bass reflex system
- Tweeter 1 x 0.32" Plasma tweeter
- Midrange driver 2 x 6.5" Paper, coated
- Woofer 2 x 11.0" Aluminum
- Crossover frequency 250 Hz / 2.5 kHz
- Impedance(nominal) 4 Ω (Minimum 3.0 Ω)
- Efficiency 92 dB / 1 W / 1 m
- Frequency range 23 Hz - 150 kHz (±3 dB)
- Weight 150 kg (330 lbs)

Finish



- Piano finish black
- Piano finish veneer
- Piano finish white